



# Reciprocating Internal Combustion Engines

Prof. Rolf D. Reitz,  
Engine Research Center,  
University of Wisconsin-Madison

2012 Princeton-CEFRC  
Summer Program on Combustion  
Course Length: 9 hrs  
(Wed., Thur., Fri., June 27-29)

Acknowledgements and references

Copyright ©2012 by Rolf D. Reitz.  
This material is not to be sold, reproduced or distributed without  
prior written permission of the owner, Rolf D. Reitz.



## **Acknowledgements**

The long-term support of the ERC's Diesel Engine Research Consortium member companies (<http://www.derc.wisc.edu/>), Caterpillar Inc., Ford Motor Company, General Motors and the Department of Energy and the Sandia and Oak Ridge National Laboratories is greatly appreciated. The many contributions of ERC faculty, staff and students are also gratefully acknowledged.

## **References cited**

1:4 <http://www.eia.gov/totalenergy/>

1:6 <http://www.fueleconomy.gov/feg/atv.shtml>

1:12, 15, 30 J.B. Heywood, Internal Combustion Engine Fundamentals, McGraw Hill, 1988

1:16-18 A. A. Amsden, P. J. O'Rourke and T. D. Butler, "KIVA-II: A Computer Program for Chemically Reactive Flows with Sprays," Los Alamos Report LA-11560-MS, 1989. <http://www.lanl.gov/orgs/t/t3/docs/KIVA2.pdf>

1:17 Wang, B.-L., Bergin, M.J., Petersen, B.R., Miles, P.C., Reitz, R.D., and Han, Z., " Validation of the Generalized RNG Turbulence Model and Its Application to Flow in a HSDI Diesel Engine," SAE paper 2012-01-0140, 2012.

1:18 A.A. Amsden, "KIVA-3V: A Block-Structured KIVA Program for Engines with Vertical or Canted Valves," Los Alamos Report LA-13313-MS, 1997. <http://www.lanl.gov/orgs/t/t3/docs/KIVA-3V.pdf>

1:19, 23 <http://www.ricardo.com/en-GB/What-we-do/Software/Products/WAVE/>

1:20 J. D. Anderson, Modern Compressible Flow (With Historical Perspective), McGraw-Hill (2nd or 3rd Edition), 1990.

1:26 <http://www.gtisoft.com/>

1:27 <http://delphi.com/manufacturers/auto/powertrain/gas/valvetrain/vcp/>

1:31 Charmley, W.J., "The Federal Government's Role in Reducing Heavy Duty Diesel Emissions," SAE paper 2004-01-2708.

---

2:9-10 J. D. Anderson, Modern Compressible Flow (With Historical Perspective), McGraw-Hill (2nd or 3rd Edition), 1990.

2:11-12,18-19 J.B. Heywood, Internal Combustion Engine Fundamentals, McGraw Hill, 1988.

2:13 Serrano J.R., Arnau F.J., Dolz V. , Tiseira A., and Cervello C., "A model of turbocharger radial turbines appropriate to be used in zero- and one-dimensional gas dynamics codes for internal combustion engines modeling", Energy Conversion and Management,49 (2008) 3729–3745, 2008.

2:15 Reitz, R.D., and Hoag, K.H., "Reciprocating Engines (Diesel and Gasoline)," Encyclopedia of Energy Engineering and Technology (EEE), B. Capehart, Editor, Marcel Dekker Publishing, New York, 2007.

2:22-23 Herold, R.E., Wahl, M.H., Regner, G., Lemke, J.U and Foster, D.E., "Thermodynamic Benefits of Opposed-Piston Two-Stroke Engines," SAE 2011-01-2216.

2:24 Chen S. K., Flynn P. Development of a compression ignition research engine. SAE paper 650733, 1965

2:25-32 Lavoie, G.A., Ortiz-Soto, E., Babajimopoulos, A., Martz, J.B., and Assanis, D.N., "Thermodynamic sweet spot under highly dilute and boosted gasoline engine conditions," Submitted, Int. J. Engine Research, 2012.

2:27 Woschni, G. (1967) Equation for the Instantaneous Heat Transfer Coefficient in the Internal Combustion Engine. SAE Paper No. 670931.

3:2 <http://www.erc.wisc.edu/combustion.php>

3:4 I. Glassman, Combustion, Academic Press, New York, 3rd Ed., 1996

3:4 Reitz, R.D. and Bracco, F.V., "Global Kinetics and Lack of Thermodynamic Equilibrium," Combust. Flame, V.53, p.141, 1983.

3:4 Abraham, J., Bracco, F.V. and Reitz, R.D. "Comparisons of Computed and Measured Premixed Charge Engine Combustion," Combust. Flame, 60, pp. 309-322, 1985.

3:5 Kong, S.-C., Ayoub, N., and Reitz, R.D., "Modeling Combustion in Compression Ignition Homogeneous Charge Engines," SAE Paper 920512, SAE Transactions, Vol. 101, Section 3, Journal of Engines, pp. 896-911,1992.

3:5 Halstead, M., Kirsh, L. and Quinn, C. "The Autoignition of Hydrocarbon Fuels at High Temperatures and Pressures - Fitting of a Mathematical Model," Combust. Flame, Vol. 30, pp. 45-60, 1977.

3:6 Matalon, 2011 - <http://www.princeton.edu/engineering/video/player/?id=5922>

3:8 F.A. Williams, Combustion Theory, Addison-Wesley Pub., Reading, Mass, 2nd Ed. 1988.

3:10 J. Warnatz, U. Maas and R.W. Dibble, "Combustion, Physical and Chemical Fundamentals, Modeling and Simulation, Experiments, Pollutant Formation" by, Springer, 4th Edition, 2006.

3:11 Mehl M., T. Faravelli, E. Ranzi, D. Miller, N. Cernansky, "Experimental and kinetic modeling study of the effect of fuel composition in HCCI engines", Proceedings of the Combustion Institute 32, 2843-2850 (2009)

3:12 Patel, A., Kong, S.-C., and Reitz, R.D., "Development and Validation of a Reduced Reaction Mechanism for HCCI Engine Simulations," SAE 2004-01-0558

3:13,18 Fieweger, K., Blumenthal, R., and Adomeit, G. (1997) "Self-Ignition of S.I. Engine Model Fuels: A Shock Tube Investigation at High Pressure," Combustion and Flame, Vol. 109, pp. 599-619.

3:13,16 Ra, Y., and Reitz, R.D., "A Reduced Chemical Kinetic Model for IC Engine Combustion Simulations with Primary Reference Fuels," Combustion & Flame, Vol. 155, pp. 713-738, 2008.

3:14-15,17,20 Ra, Y., and Reitz, R.D., "A Combustion Model for IC Engine Combustion Simulations with Multi-component Fuels," Combustion & Flame, Vol. 158, pp. 69-90, 2011.

3:18 B.M. Gauthier, D.F. Davidson, R.K. Hanson, Combust. Flame 139 (2004) 300-311.

3:18 R. Bounaceur, I. Da Costa, R. Fournet, F. Billaud, F. Battin-Leclerc "Experimental and Modeling Study of the Oxidation of Toluene," Int. J. Chem. Kinet. 37 (2005) 25-49.

3:18 J. Andrae, D. Johansson, P. Björnbom, P. Risberg, G.T. Kalghatgi, Combust. Flame 140 (2005) 267-286.

3:18 H-P. S. Shen, J. Steinberg, J. Vanderover, M. A. Oehlschlaeger, Energy & Fuels 23 (2009) 2482-2489.

3:19 Brakora, J.L., Ra, Y., and Reitz, R.D., "Combustion Model for Biodiesel-Fueled Engine Simulations using Realistic Chemistry and Physical Properties," SAE Paper 2011-01-0831, 2011.

3:20 Hessel, R. P., Foster, D. E., Aceves, S. M., Davisson, M. L., Espinosa-Loza, F., Flowers, D. L., Pitz, W. J., Dec, J. E., Sjöberg, M., and Babajimopoulos, A. (2008) "Modeling Iso-octane HCCI using CFD with Multi-Zone Detailed Chemistry; Comparison to Detailed Speciation Data over a Range of Lean Equivalence Ratios," SAE Paper 2008-01-0047.

3:21 Tamagna, D., Ra, Y., and Reitz, R.D., "Multidimensional Simulation of PCCI Combustion Using Gasoline and Dual-fuel Direct Injection and Detailed Chemical Kinetics," SAE paper 2007-01-0190, 2007.

3:22 Liang, L., Steven, J.G., Farrell, J.T., "A dynamic adaptive chemistry scheme for reactive flow computations," Proc. Combustion Inst. 32:527-534, 2009

3:22-23 Shi, Y., Ge, H.-W, and Reitz, R.D., "Computational Optimization of Internal Combustion Engines," ISBN 978-0-85729-618-4, Springer, 2011 <http://www.springer.com/engineering/mechanical+eng/book/978-0-85729-618-4>

3:24 Liang, L. and Reitz, R.D., "Spark Ignition Engine Combustion Modeling Using a Level Set Method with Detailed Chemistry," SAE Paper 2006-01-0243, 2006.

3:25-34 Liang, L., Reitz, R.D., Iyer, C.O. and Yi, J., "Modeling Knock in Spark-Ignition Engines Using a G-equation Combustion Model Incorporating Detailed Chemical Kinetics," SAE paper 2007-01-0165, 2007.

3:26 J. Ghandhi, private communication, University of Wisconsin-Madison, 2012.

3:26-27 Peters, N. Turbulent Combustion, Cambridge University Press, 2000

3:27 Fan, Li, and Reitz, R.D., "Development of an Ignition and Combustion Model for Spark-Ignition Engines," SAE Paper 2000-01-2809, SAE Transactions, Journal of Engines, Vol. 109, Section 3, pp. 1977-1989, 2000.

---

4:4,6-10 Amsden, A.A. (1997) KIVA-3V: A block-structured KIVA program for engines with vertical or canted valves. Los Alamos National Laboratory Report No. LA-13313-MS.

4:5 Dukowicz, J.K., "A Particle-Fluid Numerical Model for Liquid Sprays," Journal of Computational Physics, Vol. 35, pp. 229-253, 1980.

4:7 A. A. Amsden, P. J. O'Rourke and T. D. Butler, "KIVA-II: A Computer Program for Chemically Reactive Flows with Sprays," Los Alamos Report LA-11560-MS, 1989. <http://www.lanl.gov/orgs/t/t3/docs/KIVA2.pdf>

Slide 4:11

Rutland, C.J., Ayoub, N., Han, Z., Hampson, G., Kong, S.-C. Mather, D., Montgomery, D., Musculus, M., Patterson, M., Pierpont, D., Ricart, L., Stephenson, P., and Reitz, R.D., "Diesel Engine Model Development and Experiments," SAE Paper 951200, 1995.

Han, Z., Uludogan, A., Hampson, G., and Reitz, R.D., "Mechanisms of Soot and NO<sub>x</sub> Emission Reduction Using Multiple- Injection in a Diesel Engine," SAE Paper 960633, 1996.

Han, Z. and Reitz, R.D., "Turbulence Modeling of Internal Combustion Engines Using RNG k-e Models," Combust. Sci. and Tech., 106, 4-6, p. 267, 1995.

Patterson, M.A., and Reitz, R.D., "Modeling the Effects of Fuel Spray Characteristics on Diesel Engine Combustion and Emissions," SAE Paper 980131, 1998.

Xin, J., Ricart, L., and Reitz, R.D., "Computer Modeling of Diesel Spray Atomization and Combustion," Combust. Sci. and Tech. Vol. 137, 1-6, p. 171, 1998.

Hwang, S.S., Liu, Z., and Reitz, R.D., "Breakup Mechanisms and Drag Coefficients of High Speed Vaporizing Liquid Drops," Atomization and Sprays, Vol. 6, pp. 353-376, 1996.

Su, T.F., Patterson, M.A., Reitz, R.D., and Farrell, P.V., "Experimental and Numerical Studies of High Pressure Multiple- Injection Sprays," SAE Paper 960861, 1996.

Naber, J.D. and Reitz, R.D. "Modeling Engine Spray/Wall Impingement" SAE Paper 880107, 1988.

Stanton, D.W., Lippert, A.M., Reitz, R.D., and Rutland, C.J., "Influence of Spray-Wall Interaction and Fuel Films on Cold Starting in Direct Injection Diesel Engines," SAE Paper 982584, 1998.

Georjon, T.L., and Reitz, R.D., "A Drop Shattering Collision Model for Multidimensional Spray Computations," Atomization and Sprays, Vol. 9, pp. 231-254, 1999.

Lippert, A.M., Stanton, D.W., Rutland, C.J., and Reitz, R.D., Hallett, W.H.L., "Investigating the Effect of Spray Targeting and Impingement on Diesel Engine Cold Start," SAE Paper 2000-01-0269, 2000.

Yi, Y., Zhu, G.-S., and Reitz, R.D., "Diesel Engine Spray and Combustion Modeling Using Continuous Thermodynamics for Diesel Fuels," SAE Paper 2001-01-0998, 2001.

Patel, A., Kong, S.-C., and Reitz, R.D., "Development and Validation of a Reduced Reaction Mechanism for HCCI Engine Simulations," SAE Paper 2004-01-0558, 2004.

Tan, Z., and Reitz, R.D., "Development of a Universal Turbulent Combustion Model for Premixed and Direct Injection Spark/Compression Ignition Engines," SAE Paper 2004-01-0102, 2004.

Kong, S.-C., Patel, A., Yin, Q., Klingbeil, A., and Reitz, R.D., "Numerical Modeling of Diesel Engine Combustion and Emissions Under HCCI-Like Conditions with High EGR Levels," SAE paper 2003-01-1087, 2003.

Patterson, M. A., Kong, S.-C., Hampson, G. J. and Reitz, R.D., "Modeling the Effects of Fuel Injection Characteristics on Diesel Engine Soot and NOx Emissions," SAE Paper 940523, 1994.

Hampson, G.J., and Reitz, R.D., "Two-Color Imaging of In-Cylinder Soot Concentration and Temperature in a Heavy-Duty DI Diesel Engine with Comparison to Multidimensional Modeling for Single and Split Injections," SAE Paper 980549, 1998.

4:12 Reitz, R.D., "Modeling Atomization Processes in High-Pressure Vaporizing Sprays," Atomisation and Spray Technology, Vol. 3, pp. 309-337, 1988.

4:13-14 Lee, W.G., and Reitz, R.D., "A Numerical Investigation of Transient Flow and Cavitation within Minisac and VCO Diesel Injector Nozzles," ASME J. Gas Turbines and Power, Vol. 132, 2010.

4:15-16 Sarre, C. Von Kuensberg, Kong, S.-C., and Reitz, R.D., "Modeling the Effects of Injector Nozzle Geometry on Diesel Sprays," SAE Paper 1999-01-0912, 1999.

4:17 Taylor, J.J., and Hoyt, J.W., "Water Jet Photography - Techniques and Methods," Exp. Fluids, Vol. 1, pp. 113-120, 1983.

4:17-19 Reitz, R.D. and Bracco, F.V., "Mechanism of Atomization of Liquid Jets," The Physics of Fluids, Vol. 25, p. 1730, 1982 – and Erratum: Vol. 26, (5), pp. 1376 May 1983.

4:20-22 Reitz, R.D., "Modeling Atomization Processes in High-Pressure Vaporizing Sprays," Atomisation and Spray Technology, Vol. 3, pp. 309-337, 1988.

4:23 Gao, J., Liu, Z., Moon, S., Xie, X., Dufresne, E., Fezzaa, K., Lai, M-C., Wang, J., and Reitz, R.D., "Morphology of Diesel Sprays from Single-Orifice Micronozzles," ILASS-Americas 22nd Annual Conference on Liquid Atomization and Spray Systems, Cincinnati, OH, May 17-19, 2010.

Slide 4:24

Liu, Z. and Reitz, R.D., "An Analysis of the Distortion and Breakup Mechanisms of High Speed Liquid Drops," Int. J. Multiphase Flow, Vol. 23, No. 4, pp. 631-650, 1997

Engel, O.G., "Fragmentation of Water Drops in the Zone behind an Air Shock," Journal of Research of the National Bureau of Standards, Vo. 60, pp. 245-280, 1958.

Hinze, J.O., "Fundamentals of the Hydrodynamic Mechanism of Splitting in Dispersion Processes," American Institute of Chemical Engineering Journal, Vol. 1, pp. 289-295, 1955.

Ranger, A. A. and Nicholls, J. A., "The Aerodynamic shattering of Liquid Drops," AIAA J., Vol. 7, p. 285-290, 1969.

Reinecke, W. G. and Waldman, G. D., "A study of Drop Breakup Behind Strong Shocks with Applications to Flight," AVCO Report AVSD-0110-70-77, May, 1970.

Delplanque, J.P., and Sirignano, W.A., "Boundary Layer Stripping Effects on Droplet Transcritical Convective Vaporization," Atomization and Sprays, vol. 4, pp. 325-349, 1994.

---

4:25 Liu, A.B. and Reitz, R.D. "Mechanism of Air-Assisted Liquid Atomization," Atomization and Sprays, Vol. 3, pp. 55-75, 1993.

4:26 Hwang, S.S., Liu, Z., and Reitz, R.D., "Breakup Mechanisms and Drag Coefficients of High Speed Vaporizing Liquid Drops," Atomization and Sprays, Vol. 6, pp. 353-376, 1996.

4:27 Lee, C.-S., and Reitz, R.D., "Effect of Liquid Properties on the Breakup Mechanisms of High Speed Liquid Drops," Atomization and Sprays, Vol. 11, No. 1, pp. 1-19, 2001.

4:28 O'Rourke, P.J., "Collective Drop Effects on Vaporizing Liquid Sprays," Ph.D. Thesis, Princeton University, 1981.

4:29 Munnannur, A., and Reitz, R.D., "A predictive model for fragmenting and non-fragmenting binary droplet collisions for use in multi-dimensional CFD codes," Int. J. Multiphase Flow, Vol. 33, pp. 873-896, 2007.

4:30-32 Ashgriz, N. and Poo, J.Y., "Coalescence and Separation in Binary Collisions of Liquid Drops," J. Fluid Mechanics, Vol. 221, pp. 183-204, 1990.

4:32 Tennison, P.J., Georjon, T.L., Farrell, P.V., and Reitz, R.D., "An Experimental and Numerical Study of Sprays from a Common Rail Injection System for Use in an HSDI Diesel Engine," SAE Paper 980810, *SAE Transactions, Vol. 107, Section 3, Journal of Engines*, pp. 1228-1242, 1998.

4:33 Linne MA, Paciaroni M, Berrocal E, Sedarsky D (2009) Ballistic imaging of liquid breakup processes in dense sprays. Proc. Combust Inst. 32:2147

4:33 Liu Z, Im KS, Wang Y, Fezzaa K, Xie XB, Lai MC, Wang J (2010) Near-nozzle structure of diesel sprays affected by internal geometry of injector nozzle: visualized by single-shot X-ray imaging. In: SAE paper 2010-01-0877

4:33 E. Villiers and A. D. Gosman, Large Eddy Simulation of Primary Diesel Spray Atomization, SAE Paper 2004-01-0100.

4:33 Reitz, Pickett, and Trujillo, "Advanced DNS Modeling of Liquid Atomization" Encyclopedia of Automotive Engineering, (In Press), 2012.

---

5:3 Beale, J.C., and Reitz, R.D., "Modeling Spray Atomization with the Kelvin-Helmholtz/Rayleigh-Taylor Hybrid Model," *Atomization and Sprays*, Vol. 9, pp. 623-650, 1999.

5:4 Liu, A.B., Mather D. and Reitz, R.D. "Modeling the Effects of Drop Drag and Breakup on Fuel Sprays," SAE Paper 930072, 1993.

5:5 Gosman, A.D., and Ioannides, E., "Aspects of Computer Simulation of Liquid-Fueled Combustors," AIAA Paper No. 81-0323, 1981.

5:6 Wachters, L.H.J. and Westerling, N.A.J. "The Heat Transfer from a Hot Wall to Impinging Water Drops in the Spheroidal State," *Chem. Eng. Sci.*, Vol. 21, pp. 1047-1056, 1966.

5:7 Naber, J.D. and Reitz, R.D. "Modeling Engine Spray/Wall Impingement" SAE Paper 880107, 1988.

5:8 Senecal, P.K., Uludogan, A., and Reitz, R.D., "Development of Novel Direct-Injection Diesel Engine Combustion Chamber Designs using Computational Fluid Dynamics", SAE Paper 971594, 1997.

5:9 C.K. Law, Unsteady droplet combustion with droplet heating, *Combust. Flame* 26 (1976) 17–22.

5:9 C.K. Law, W.A. Sirignano, Unsteady droplet combustion with droplet heating—II. Conduction-limit, *Combust. Flame* 28 (1977) 175–186.

5:9 W.A. Sirignano, *Fluid Dynamics and Transport of Droplets and Sprays*, Cambridge University Press, New York, 1999.

5:9 Aggarwal, S.K., Zhu, G.-S., and Reitz, R.D., "Quasi-steady High-Pressure Droplet Model for Diesel Sprays," SAE paper 2000-01-0588, SAE Transactions, Journal of Engines, Vol. 109, Section 3, pp. 734-743, 2000.

5:10-11 Lefebvre, A.H., *Atomization and Sprays*, Hemisphere Publishing Corp., New York, 1989.

5:10-11 A. A. Amsden, P. J. O'Rourke and T. D. Butler, "KIVA-II: A Computer Program for Chemically Reactive Flows with Sprays," Los Alamos Report LA-11560-MS, 1989. <http://www.lanl.gov/orgs/t/t3/docs/KIVA2.pdf>

5:12-14 Ra, Y., and Reitz, R.D., "The Application of a Multi-component Droplet Vaporization Model to DI Gasoline Engines," *International Journal of Engine Research*, Vol. 4 (3), pp. 193-218, 2003.

5-14 Lippert, A.M., and Reitz, R.D., "Modeling of Multicomponent Fuels Using Continuous Distributions With Application to Droplet Evaporation and Sprays," SAE Paper 972882, 1997.

5:15-18 Ra, Y., and Reitz, R.D., "A vaporization model for discrete multi-component fuel sprays," *Int. J. Multiphase Flow*, Vol. 35, pp. 101-117, 2009.

5:19-22 Jiao, Q., Ra, Y., and Reitz, R.D., "Modeling the Influence of Molecular Interactions on the Vaporization of Multi-component Fuel Sprays," SAE Paper 2011-01-0387, 2011.

5:19 Fredenslund, A., Jones, R. L., Prausnitz, J.M., "Group-contribution Estimation of Activity Coefficients in Nonideal Liquid Mixtures," *AIChE Journal*, 21(6): 1086-1099, 1975.

5:20 Pfahl, U., Fieweger, K., Adomeit, G., "Self-Ignition of Diesel-Relevant Hydrocarbon-Air Mixture Under Engine Conditions," *Proc. Combust. Inst.*, 26: 781-789, 1996.

5:22 Andersen V.F., Andersen J.E., Wallington T.J., Mueller S.A., Nielsen O.J., "Distillation Curves for Alcohol-Gasoline Blends," *Energy&Fuels*, 24: 2683-2691, 2010



- 5:24-25 Anand, K., Ra, Y., Reitz, R.D. and Bunting, B., "Surrogate Model Development for the FACE Fuels," *Energy and Fuels*, Vol. 25 (4), pp. 1474-1484, 2011.
- 5:27 Abani, N., Kokjohn, L. S., S. W. Park, Bergin, M., Munnannur, A., Ning, W., Sun, Y., and Reitz, R.D., "An improved Spray Model for Reducing Numerical Parameters Dependencies in Diesel Engine CFD Simulations," SAE paper 2008-01-0970, 2008.
- 5:28 Mitroglou, N., Nouri, J. M., Gavaises, M., and Arcoumanis, C., "Spray Characteristics of a Multi-Hole Injector for Direct-Injection Gasoline Engines", *International Journal of Engine Research*, 7: 255-270, 2006.
- 5:28,30 Wang, Y., Ge, H.-W., and Reitz, R.D., "Validation of Mesh- and Timestep-Independent Spray Models for Multidimensional Engine CFD Simulations," SAE paper 2010-01-0626, SAE Int. J. Fuels Lubr. Vol. 3, No. 1, pp. 277-302, 2010.
- 5:29 Naber, J. D. and Siebers, D. L., "Effects of Gas Density and Vaporization on Penetration and Dispersion of Diesel Sprays, SAE Technical Paper 960034, 1996.
- 5:29 Siebers, D.L., "Liquid-Phase Fuel Penetration in Diesel Sprays," SAE 980809, 1998.
- 5:29,34 Pickett, L., Sandia National Laboratory, "Engine Combustion Network", <https://share.sandia.gov/ecn/>, 2007.
- 5:31 Juneja, H., Ra, Y., and Reitz, R.D., "Optimization of Injection Rate Shape using Active Control of Fuel Injection," SAE paper 2004-01-0530, SAE Special Publication – Diesel Fuel Injection and Sprays, SP-1824, p193-210, 2004.
- 5:32 Singh, S., Reitz, R. D., Musculus, M. P. B., Lachaux, T., "Validation of Engine Combustion Models against Detailed In-Cylinder Diagnostics Data for a Heavy-Duty DI Diesel Engine", *International Journal of Engine Research*, 8: 97-126, 2007.
- 
- 6:3 Diesel Engine Reference Book, Fig. 5.1, 2nd Edition, Challen, B. and Baranescu, R., Eds., 1998.
- 6:4 Han, Z. and Reitz, R.D., "Turbulence Modeling of Internal Combustion Engines Using RNG k-e Models," *Combust. Sci. and Tech.* 106, 4-6, p. 267, 1995.
- 6:5,9 Wiedenhoefer, J.F., and Reitz, R.D., "Multidimensional Modeling of the Effects of Radiation and Soot Deposition in Heavy-duty Diesel Engines," SAE paper 2003-01-0560, SAE Transactions, Volume 112, Section 3, Journal of Engines, pp. 784-804, 2003.
- 6:6 Wiedenhoefer, J.F., and Reitz, R.D., "A Multidimensional Radiation Model for Diesel Engine Simulations with Comparison to Experiment," *Numerical Heat Transfer: International Journal of Computation and Methodology Part A: Applications*, 44 (7): 665-682, 2003a.
- 6:7-8 Wiedenhoefer, J., F., and Reitz, R.D., "Modeling the Effect of EGR and Multiple Injection Schemes on I.C. Engine Component Temperatures," *Journal of Numerical Heat Transfer, Part A*, Vol. 37, pp. 673-694, 2000.
- 6:12,15-17 Yoshikawa, T., and Reitz, R.D., "Development of an Improved NOx Reaction mechanism for Low Temperature Diesel Combustion Modeling," SAE 2008-01-2413, SAE Int. J. Engines, Vol. 1(1), pp. 1105-1117, 2009.
- 6:12 Zeldovich, Y. B., "The oxidation of nitrogen in combustion and explosions," *Acta Physicochim*, USSR 21:577, 1946.
- 6:12 Fenimore, C. P., "Studies of fuel-nitrogen in rich flame gases," *Proceeding of Combustion Institute*, 17:661, 1979.



6:12 Eberius, H., Just, T., Kelm, S., Warnatz, J., and Nowak, U., "Konversion von brennstoffgebundenem Stickstoff am Beispiel von dotierten Propan-Luft-Flammen," VDI-Berichte, 645:626, 1987.

6:12 Guo, H., and Smallwood, G. J., "The interaction between soot and NO formation in a laminar axisymmetric coflow ethylene/air diffusion flame," Combustion and Flame, 149, pp. 225-233, 2007.

6:13-14 Kong, S.-C., Sun, Y., and Reitz, R.D., "Modeling Diesel Spray Flame Lift-Off, Sooting Tendency and NO<sub>x</sub> Emissions Using Detailed Chemistry with Phenomenological Soot Model," ASME J. Gas Turbines and Power, Vol. 129, pp. 245-251, 2007.

6:13-14, 20 Smith, G.P., et al., [http://www.me.berkeley.edu/gri\\_mech/](http://www.me.berkeley.edu/gri_mech/). "GRI-Mech 3.0," 2005.

6:18-20 Yoshikawa, T., and Reitz, R.D., "Effect of Radiation on Diesel Engine Combustion and Heat Transfer," JSME Journal of Thermal Science and Technology, February, 2009.

6:18 Musculus, M. P. B., "Measurements of the Influence of Soot Radiation on In-Cylinder Temperatures and Exhaust NO<sub>x</sub> in a Heavy-Duty DI Diesel Engine," SAE Paper 2005-01-0925, 2005.

#### Slide 6:21

Patterson, M. A., Kong, S.-C., Hampson, G. J. and Reitz, R.D., "Modeling the Effects of Fuel Injection Characteristics on Diesel Engine Soot and NO<sub>x</sub> Emissions," SAE Paper 940523, *SAE Transactions, Vol. 103, Section 3, Journal of Engines*, pp. 836-852, 1994.

Kong, S.-C., Sun, Y., and Reitz, R.D., "Modeling Diesel Spray Flame Lift-Off, Sooting Tendency and NO<sub>x</sub> Emissions Using Detailed Chemistry with Phenomenological Soot Model," ASME J. Gas Turbines and Power, Vol. 129, pp. 245-251, 2007.

Vishwanathan, G., and Reitz, R.D., "Numerical Predictions of Diesel Flame Lift-off Length and Soot Distributions under Low Temperature Combustion Conditions," SAE 2008-01-1331, SP-2185, Compression Ignition Combustion Processes, 2008.

Vishwanathan, G., and Reitz, R.D., "Modeling Soot Formation Using Reduced PAH Chemistry in n-Heptane Lifted Flames with Application to Low-Temperature Combustion," ASME J. Gas Turbines and Power, Vol. 131 / 032801/1-7, 2009.

Kazakov, A., and Foster, D.E., "Modeling of Soot Formation during DI Diesel Combustion Using a Multi-Step Phenomenological Model," SAE paper 982463, 1998.

Tao, F., Reitz, R.D., Foster, D.E., and Liu, Y., "A Nine-Step Phenomenological Diesel Soot Model Validated Over a Wide Range of Engine Conditions," International Journal of Thermal Sciences, Vol. 48, pp. 1223–1234, 2009.

Tao, F., Foster, D.E., and Reitz, R.D., "Soot Structure in a Conventional Non-Premixed Diesel Flame," SAE Paper 2006-01-0196, SAE Transactions, Vol. 115, Section 4, Journal of Fuels & Lubricants, 2006.

Tao, F., Foster, D.E., and Reitz, R.D., "Characterization of Soot Particle Distribution in Conventional, Non-Premixed DI Diesel Flame Using a Multi-Step Phenomenological Soot Model," Proceedings of 31<sup>st</sup> International Symposium on Combustion, The Combustion Institute, Pa, 2006

Kennedy, I. M. (1997) Models of soot formation and oxidation. Prog. Energy Combust. Sci., 23, 95.

Tree DR, Svenson KI. 2007. Soot processes in compression ignition engines. Progress in Energy and Combustion Science 33:272-309

Vishwanathan, G., and Reitz, R.D., "Development of a Practical Soot Modeling Approach and its Application to Low Temperature Diesel Combustion," Combustion Science and Technology, Vol. 182, Issue 8, pp.1050-1082, 2010.

- 6:22 Hiroyasu, H., and Kadota, T., "Models for Combustion and Formation of Nitric Oxide and Soot in DI Diesel Engines," SAE paper 760129, *SAE Transactions*, 85, 1976.
- 6:22 Nagle, J., and Strickland-Constable, R.F., "Oxidation of Carbon between 1000-2000°C," Proceedings of the fifth carbon conference, 1, Pergamon Press, 154, 1962.
- 6:23-24 Pickett, L. M., and Siebers, D.L., "Soot in Diesel Fuel Jets: Effects of Ambient Temperature, Ambient Density, and Injection Pressure," *Combustion and Flame*, 138, 114-135, 2004.
- 6:23-24 Vishwanathan, G., and Reitz, R.D., "Numerical Predictions of Diesel Flame Lift-off Length and Soot Distributions under Low Temperature Combustion Conditions," SAE 2008-01-1331, SP-2185, Compression Ignition Combustion Processes, 2008.
- 6:26 Xi, J. and Zhong, B., 2006, "Reduced Kinetic Mechanism of n-Heptane Oxidation in Modeling Polycyclic Aromatic Hydrocarbon Formation in Diesel Combustion," *Chemical Engineering and Technology*, 29, pp.1461-1468.
- 6:26 Wang, H. and Frenklach, M. (1997) A detailed kinetic modeling study of aromatics formation in laminar premixed acetylene and ethylene flames. *Combust.Flame*, 110, 173.
- 6:27 Pickett, L.M., and Idicheria, C.A., "Effects of Ambient Temperature and Density on Soot Formation under High EGR Conditions," THIESEL 2006 Conference on Thermo- and Fluid Dynamic Processes in Diesel Engines, 2006.
- 6:26-27 Vishwanathan, G., and Reitz, R.D., "Modeling Soot Formation Using Reduced PAH Chemistry in n-Heptane Lifted Flames with Application to Low-Temperature Combustion," *ASME J. Gas Turbines and Power*, Vol. 131 / 032801/1-7, 2009.
- 6:28 Leung, K. M., Lindstedt, R. P. and Jones, W. P. (1991) A simplified reaction mechanism for soot formation in nonpremixed flames. *Combust.Flame*, 87, 289.
- 6:29 Fenimore, C. P. and Jones, G. W. (1967) Oxidation of soot by hydroxyl radicals. *J.Phys.Chem.*, 71, 593.
- 6:28-34 Vishwanathan, G., and Reitz, R.D., "Development of a Practical Soot Modeling Approach and its Application to Low Temperature Diesel Combustion," *Combustion Science and Technology*, Vol. 182, Issue 8, pp.1050-1082, 2010.
- 6:34 Singh, S., Reitz, R. D., Musculus, M. P. B. and Lachaux, T. (2007) Validation of engine combustion models against detailed in-cylinder optical diagnostics data for a heavy-duty compression-ignition engine. *Int. J. Eng. Res.*, 8, 97.
- 
- 7:6,8 Dec, J. E., "A Conceptual Model of D.I. Diesel Combustion Based on Lased Sheet Imaging," SAE Technical Paper No. 970873, *SAE Transactions*, 106(3), 1319-1348, 1997.
- 7:7 Park, S.W., and Reitz, R.D., "Numerical Study on the Low Emission Window of Homogeneous Charge Compression Ignition Diesel Combustion," *Combustion Science and Technology*, Vol. 179:11, pp. 2279-2307, 2007.
- 7:8 Musculus, M. P. B., "Multiple Simultaneous Optical Diagnostic Imaging of Early-Injection Low-Temperature Combustion in a Heavy-Duty Diesel Engine," SAE Paper 2006-01-0079, 2006,
- 7:10-20 Singh, S., Musculus, M.P.B., and Reitz, R.D., "Mixing and Flame Structures Inferred from OH-PLIF for Conventional and Low-Temperature Diesel Combustion", *Combustion and Flame*, vol. 156, no. 10, pp. 1898–1908, 2009.
- 7:12-20 Kokjohn, S.L., and Reitz, R.D., "Investigation of the Roles of Flame Propagation, Turbulent Mixing, and Volumetric Heat Release in Conventional and Low Temperature Diesel Combustion," *ASME J. Eng. Gas Turbines Power*, Vol. 133, pp. 102805-1-10, 2011.

7:21-30 Liang, L., Reitz, R.D., Iyer, C.O. and Yi, J., "Modeling Knock in Spark-Ignition Engines Using a G-equation Combustion Model Incorporating Detailed Chemical Kinetics," SAE paper 2007-01-0165, 2007.

7:21 Subramaniam, M.N., Ruman, M., and Reitz, R.D., "Reduction of Emissions and Fuel Consumption in a 2-Stroke Direct-Injection Engine with Multidimensional Modeling and an Evolutionary Search Technique," SAE paper 2003-01-0544, SAE Transactions, Volume 112, Section 4, Journal of Fuels and Lubricants, pp. 718-736, 2003.

7:31-32 Zhi Wang, Private communication, Engine Research Center, Madison, WI, May 2012

---

8:3 Shi, Y., Ge, H.-W, and Reitz, R.D., "Computational Optimization of Internal Combustion Engines," ISBN 978-0-85729-618-4, Springer book, 2011

<http://www.springer.com/engineering/mechanical+eng/book/978-0-85729-618-4>

8:4 Senecal, P.K., and Reitz, R.D., "Simultaneous Reduction of Emissions and Fuel Consumption using Genetic Algorithms and Multi-dimensional Spray and Combustion Modeling," SAE Paper 2000-01-1890, SAE Transactions, Vol. 109, Journal of Fuels & Lubricants, Section 4, pp. 1378-1390, 2000.

8:5 Carroll, D. L., "Genetic Algorithms and Optimizing Chemical Oxygen-Iodine Lasers," *Developments in Theoretical and Applied Mechanics*, **18**, 1996.

8:5 Goldberg, D. E., *Genetic Algorithms in Search, Optimization and Machine Learning*, Addison-Wesley, Reading, MA, 1989.

8:5 Senecal P. K., "Development of a Methodology for Internal Combustion Engine Design Using Multi-Dimensional Modeling with Validation Through Experiments," Ph.D. Dissertation, University of Wisconsin-Madison, 2000.

8:6 Coello Coello C.A. and Pulido G.T. (2001) A Micro-Genetic Algorithm for Multiobjective Optimization. First International Conference on Evolutionary Multi Criterion Optimization, Lecture Notes in Computer Science: no 1993: pp 126-140.

8:6 Liu, Y., Lu, F., and Reitz, R.D., "The Use of Non-Parametric Regression to Investigate the Sensitivities of HSDI Diesel Emissions and Fuel Consumption to Engine Parameters," *Int. J. Engine Res. Vol. 7*, pp. 167–180, 2006.

8:7-10 Genzale, C., Wickman, D., and Reitz, R.D., "A Computational Investigation into the Effects of Spray Targeting, Swirl Ratio and Bowl Geometry for Low-Temperature Combustion in a Heavy-Duty Diesel Engine," SAE paper 2007-01-0119, 2007, Transactions Journal of Engines, Volume 116, Section 3, pp. 88-102, 2008.

8:11 Klingbeil, A.E., Juneja, H., Ra, Y. and Reitz, R.D., "Premixed Diesel Combustion Analysis in a Heavy-Duty Diesel Engine," SAE paper 2003-01-0341, SAE Transactions, Volume 112, Section 3, Journal of Engines, pp. 445-459, 2003.

8:12-14 Kokjohn, S, Hanson, R., Splitter, D, and Reitz, R.D., "Experiments and Modeling of Dual Fuel HCCI and PCCI Combustion Using In-Cylinder Fuel Blending," SAE paper 2009-01-2647, 2009.

8:13 Kokjohn, S. L., and Reitz, R.D., " A Modeling Study of Charge Preparation in an HCCI Engine Using a Variable Pressure Pulse (VPP) Injection System and Optimized PRF Blends," ICLASS-2009, 11<sup>th</sup> Triennial International Annual Conference on Liquid Atomization and Spray Systems, Vail, Colorado USA, July 27-31, 2009.

8:15 Staples, L., Reitz, R.D., and Hergart, C., "An Experimental Investigation into Diesel Engine Size-Scaling Parameters," SAE Paper 2009-01-1124, International Journal of Engines, V118-3, Vol. 2(1), pp. 1068-1084, 2009.

8:16,27 Hanson, R., Reitz, R.D., Splitter, D., and Kokjohn, S., "An Experimental Investigation of Fuel Reactivity Controlled PCCI Combustion in a Heavy-Duty Engine," SAE paper 2010-01-0864, 2010.

8:17 Splitter, D.A., Hanson, R., and Reitz, R.D., "High Efficiency, Low Emissions Reactivity Controlled Combustion through use of a Fuel Additive," SAE paper 2010-01-2167, 2010.

8:17 Hanson, R.M., Kokjohn, S.L., Splitter, D.A., and Reitz, R.D., "Fuel Effects on Reactivity Controlled Compression Ignition (RCCI) Combustion at Low Load," SAE Paper 2011-01-0361, 2011.

8:18,27 Kokjohn, S.L., Hanson, R.M., Splitter, D.A., and Reitz, R.D., "Fuel Reactivity Controlled Compression Ignition (RCCI): A Pathway to Controlled High-Efficiency Clean Combustion," International Journal of Engine Research, Special Issue on Fuel Efficiency, Vol. 12, pp. 209-226, 2011.

8:19-20 Splitter, D.A., Hanson, R., Kokjohn, S., Rein, K., Sanders, S., and Reitz, R.D., "An Optical Investigation of Ignition Processes in Fuel Reactivity Controlled PCCI Combustion," SAE paper 2010-01-0345, SAE Int. J. Engines, Vol. 3, No.1, pp. 142-162, 2010.

8:21 Kokjohn, S.L., Reitz, R.D., Splitter, D.A., and Musculus, M.P.B., "Investigation of Fuel Reactivity Stratification for Controlling PCI Heat-Release Rates Using High-Speed Chemiluminescence Imaging and Fuel Tracer Fluorescence," SAE paper 2012-01-0375.

8:22 Kokjohn, S.L., Reitz, R.D., and Musculus, M.P.B., "Chemiluminescence and Fuel PLIF Imaging of Reactivity Controlled Compression Ignition (RCCI) Combustion," ILASS Americas, 23rd Annual Conference on Liquid Atomization and Spray Systems, Ventura, CA, May 2011.

8:23-27 Kokjohn, S.L., Splitter, D.A., Hanson, R.M., Reitz, R.D., Manente, V. and Johansson, B., "Modeling Charge Preparation and Combustion in Diesel Fuel, Ethanol, and Dual Fuel PCCI Engines," Atomization and Sprays, Vol. 21, No. 2, DOI:10.1615/AtomizSpr.2011002836, pp. 107-119, 2011.

8:23 S. Singh, M. P. B. Musculus and R. D. Reitz, *Combustion and Flame*, 156(10):1898-1908, 2009.

8:23 V. Manente, B. Johansson, P. Tunestal, W. Cannella, *SAE 2010-01-0871*, 2010.

8:23 D. A. Splitter, R.M. Hanson, S.L. Kokjohn, and R.D. Reitz, *THIESEL 2010*, Valencia, Spain, September, 2010.

8:27 Kokjohn, S.L., Hanson, R.M., Splitter, D.A., Kaddatz, J., and Reitz, R.D., "Fuel Reactivity Controlled Compression Ignition (RCCI) Combustion in Light- and Heavy-duty Engines," SAE Paper 2011-01-0357, SAE International Journal of Engines, 2011.

8:28 Kaddatz, J., Andrie, M.J., Reitz, R.D., and Kokjohn, S.L., "Light-duty Reactivity Controlled Compression Ignition Combustion using a Cetane Improver," SAE Paper 2012-01-1110, 2012.

---

9:3-10,19 Kokjohn, S.L., "Reactivity Controlled Compression Ignition (RCCI) Combustion," Ph.D. Dissertation, University of Wisconsin-Madison, 2012.

9:4 Kenney , T. E., Gardner ,T. P., Low ,S. S., Eckstrom, J. C., Wolf ,L. R., Korn, S. J., and Szymkowicz, P. G., "Overall Results: Phase I Ad Hoc Diesel Fuel Test Program," SAE Paper 2001-01-0151, 2001.

9:4 Cooper, B., Penny, I., Beasley, M., Greaney, A., and Crump, J., "Advanced Diesel Technology to Achieve Tier 2 Bin 5 Emissions Compliance in US Light-Duty Diesel Applications," SAE Technical Paper 2006-01-1145, 2006.

9:4 Johnson, T., "Diesel Emissions in Review," SAE Int. J. Engines, 4(1):143-157, 2011, doi:10.4271/2011-01-0304.

9:4 Hanson, R.M., Curran, S., Wagner, R., Kokjohn, S.L., Splitter, D.A., and Reitz, R.D., "Piston Bowl Optimization for RCCI Combustion in a Light-Duty Multi-Cylinder Engine," SAE paper 2012-01-0380.

9:10 Splitter, D.A., Wissink, M., Kokjohn, S.L., and Reitz, R.D., "Effect of Compression Ratio and Piston Geometry on RCCI Load Limits and Efficiency," SAE paper 2012-01-0383.

9:11 Kokjohn, S, Hanson, R., Splitter, D, and Reitz, R.D., "Experiments and Modeling of Dual Fuel HCCI and PCCI Combustion Using In-Cylinder Fuel Blending," SAE 2009-01-2647, SAE Int. J. Engines, Vol. 2, No. 2, pp. 24-39, 2009.

9:11-14 Prikhodko, V. Y., Curran, S. J., Barone, T. L., Lewis, S. A., Storey, J. M., Cho, K., Wagner, R. M., and Parks, J. E., "Emission Characteristics of a Diesel Engine Operating with in-Cylinder Gasoline and Diesel Fuel Blending," SAE International Journal of Fuels and Lubricants, 3(2):946-955, 2010.

9:15-18 Kokjohn, S.L., Hanson, R.M., Splitter, D.A., and Reitz, R.D., "Fuel Reactivity Controlled Compression Ignition (RCCI): A Pathway to Controlled High-Efficiency Clean Combustion," International Journal of Engine Research, Special Issue on Fuel Efficiency, Vol. 12, pp. 209-226, <http://jer.sagepub.com/content/12/3/209.full.pdf+html> , 2011.

9:15-18 Kokjohn, S.L., Hanson, R.M., Splitter, D.A., Kaddatz, J., and Reitz, R.D., "Fuel Reactivity Controlled Compression Ignition (RCCI) Combustion in Light- and Heavy-duty Engines," SAE Paper 2011-01-0357, SAE International Journal of Engines, 2011.

9:21 Hu, B., Jhavar, R., Singh, S., Reitz, R.D., and Rutland, C.J., "Combustion Modeling of Diesel Combustion with Partially Premixed Conditions," SAE paper 2007-01-0163, 2007.

9:22-32 Abbott, D., Keeping the energy debate clean: How do we supply the world's energy needs?, Proc. IEEE, vol. 98, no. 1, pp. 42-66, 2010.

---